"ISSN Application No.: 73710 -Awaiting Rectification"

Volume 1 Issue 1

Date- 06/01/2026 Publication Date

Exploring the Interplay: Fractal Geometry, Quantum Electrodynamics and Cosmological Implications of the Roxer Theory Equation

Shibanjan Paul Roy Assistant Professor of Swapna Devi College of Education

Abstract-

The intersection of fractal geometry, quantum mechanics and cosmology offers a fertile ground for theoretical exploration. My research paper introduces the Roxer Equation, $\nabla \times (\partial^2/\partial t^2 - c^2\nabla^2)E(x,t) + (\mu_0 J(x,t)/\varepsilon_0) \times (\int[\infty,0] e^{(-st)}F(s)ds)=0$ a novel formulation combining elements of electromagnetism, integral transforms and quantum concepts which invented by me.

- The Fractal Geometry Context- Fractals, with their scale invariant structures, have been applied to various physical systems, from turbulence to quantum paths.My invented Roxer Theory Equation might describe field dynamics in fractal spacetime or media.
- Quantum Electrodynamics (QED): E(x,t) represents the electric field operator, potentially interacting with quantum fields or currents J(x,t).
- Cosmological Implications: The equation's structure hints at connections to early universe physics or spacetime foam models.

My research Key aspects-
1. Mathematical Structure: Blends wave propagation, Laplace transforms and quantum operators.
2. Physical Interpretation: It could model quantum field dynamics in complex (fractal) spacetimes.
3. Potential Applications- Quantum gravity, cosmology or condensed matter physics.

This exploration aims to bridge theoretical concepts, inviting discussion on-
- Fractal spacetime textures
- Quantum classical interfaces
- Cosmological field dynamics

Introduction-

The interplay between fractal geometry, quantum mechanics and cosmology has very long fascinated theoretical physicists. Recent explorations suggest that fractal structures, ubiquitous in nature, might underlie the fabric of spacetime itself. In this context, i introduce my invented Roxer Equation, a novel formulation that combines elements of electromagnetism, integral transforms, and quantum concepts: $\nabla \times (\partial^2/\partial t^2 - c^2\nabla^2)E(x,t) + (\mu_0 J(x,t)/\varepsilon_0) \times (\int[\infty,0] e^{(-st)}F(s)ds)=0$. My equation potentially describes the dynamics of electric fields in fractal spacetime or media, bridging quantum electrodynamics and cosmological scales.

Methods of Prediction-

Roxer Equation-

$$\nabla \times (\partial^2/\partial t^2 - c^2\nabla^2)E(x,t) + (\mu_0 J(x,t)/\varepsilon_0) \times (\int[\infty,0] e^{(-st)}F(s)ds)=0$$

- ∇ (nabla) = gradient operator ($\partial/\partial x$, $\partial/\partial y$, $\partial/\partial z$)
- E = electric field (a vector field operator in quantum context)
- (x,t) = spacetime coordinates (position x and time t)
- μ_0 = magnetic constant (permeability of free space, ~$4\pi \times 10^{-7}$ H/m)

In quantum, E(x,t) could represent the electric field operator at position x and time t
- e = base of natural logarithm (~2.718)
- ε_0 = electric constant (permittivity of free space, ~8.85×10^{-12} F/m)
- ∫[∞,0] = integral from 0 to ∞
- e^(-st) = exponential decay term (Laplace transform kernel)
- F(s) = function being transformed (depends on context)
- $\partial^2/\partial t^2$ = second time derivative
- c = speed of light (~299,792 km/s)

Method of Prediction for the Roxer Equation-

My invented Roxer Equation, $\nabla \times (\partial^2/\partial t^2 - c^2\nabla^2)E(x,t) + (\mu_0 J(x,t)/\varepsilon_0) \times (\int[\infty,0]\ e^{(-st)}F(s)ds)=0$, requires tailored prediction methods due to its structure. This section rearranges approaches for analyzing and predicting E(x,t).

1. Analytical Approaches
- Green's Function Method-
  - Construct G(x,t;x',t') for $(\partial^2/\partial t^2 - c^2\nabla^2)$
  - Convolve with source terms: E(x,t) = ∫G * J(x',t') dx'dt'
- Laplace Transform Techniques
  - Transform: E(x,s) = ∫E(x,t)e^(-st)dt
  - Solve algebraic equation for E(x,s), invert to E(x,t)
- Wave Ansatz & Approximations-
  - Assume E(x,t) ~ f(x±ct) for wave-like solutions
  - Perturbation theory for small integral terms

2. Numerical & Computational Methods
- a.Finite Difference Time Domain (FDTD)
  - Discretize spacetime, iterate E(x,t)
  - Handle non-local integral term via convolution
- b.Monte Carlo Simulations
  - Sample paths or fields for stochastic aspects
  - Applicable for fractal spacetime interpretations

3. Theoretical Insights
- a.Scale Invariance & Fractals
  - Leverage E(x,t) ~ t^α f(x/t^β) for fractal media
  - Link to renormalization group methods
- b.Symmetry & Conservation Laws
  - Identify symmetries (Lorentz, scale)
  - Derive conserved quantities

4. Applications & Implications
- a.Quantum Field Theory Contexts
  - E(x,t) as a quantum field operator
  - Particle creation/annihilation aspects
- b.Cosmological & Fractal Spacetime Models
  - Early universe field dynamics
  - Structure formation in fractal cosmologies

Analytical Approaches Calculations-
Analytical methods provide insights into the Roxer Equation's behavior, $\nabla \times (\partial^2/\partial t^2 - c^2\nabla^2)E(x,t) + (\mu_0 J(x,t)/\varepsilon_0) \times (\int[\infty,0] e^{(-st)}F(s)ds)=0$

-a.Green's Function Method-
  - Construct G(x,t;x',t') for $(\partial^2/\partial t^2 - c^2\nabla^2)$, satisfying:
    - $(\partial^2/\partial t^2 - c^2\nabla^2)G = \delta(x-x')\delta(t-t')$
  - Then, $E(x,t) = \int G(x,t;x',t') * (\text{source terms})\, dx'dt'$
  - Handles non homogeneous terms like J(x,t)
-b.Laplace Transform Techniques-
  - Transform $E(x,t) \rightarrow E(x,s) = \int[0,\infty] E(x,t)e^{(-st)}dt$
  - Simplifies equation to:
    - $(s^2 - c^2\nabla^2)E(x,s) + (\mu_0/\varepsilon_0)J(x,s)F(s) \approx 0$
  - Solve for E(x,s), invert to get E(x,t)
- c.Wave Ansatz & Approximations-
  - Assume E(x,t) ~ f(x±ct) for wave-like solutions
  - Useful for understanding propagation in fractal media

This type of methods provide tools to tackle the Roxer Equation analytically.

Consider a simplified case:
$(\partial^2/\partial t^2 - c^2\nabla^2)E(x,t) = -(\mu_0 J_0/\varepsilon_0) \times \delta(x)\delta(t)$

- Green's Function G(x,t)-
$(\partial^2/\partial t^2 - c^2\nabla^2)G(x,t) = \delta(x)\delta(t)$
- Solution in 3D:
$G(x,t) = (1/4\pi c^2|x|)\ \delta(t - |x|/c)$

For E(x,t)=
$E(x,t) = -(\mu_0 J_0/\varepsilon_0) \int G(x-x',t-t')\ \delta(x')\delta(t')\ dx'dt'$
$= -(\mu_0 J_0/\varepsilon_0)\ G(x,t)$
$= -(\mu_0 J_0/\varepsilon_0)\ (1/4\pi c^2|x|)\ \delta(t - |x|/c)$

- Result-
$E(x,t) \sim (1/|x|)\ \delta(t - |x|/c)$, a spherical wave.

Results and Disscussion-

- The Roxer Equation: $\nabla \times (\partial^2/\partial t^2 - c^2\nabla^2)E(x,t) + (\mu_0 J(x,t)/\varepsilon_0) \times (\int[\infty,0]\ e^{(-st)}F(s)ds)=0$
- Analytical approaches (Green's functions, Laplace transforms)
- Context on fractal geometry, QED and cosmology

Results-
Analytical Solutions
- a.Green's Function Approach:
  - For $(\partial^2/\partial t^2 - c^2\nabla^2)E(x,t) = -(\mu_0 J_0/\varepsilon_0) \times \delta(x)\delta(t)$, i found:
$E(x,t) \sim (1/|x|)\ \delta(t - |x|/c)$, a spherical wave solution.
  - Green's function: $G(x,t) = (1/4\pi c^2|x|)\ \delta(t - |x|/c)$
- b.Laplace Transform Methods:
  - Transformed equation: $(s^2 - c^2\nabla^2)E(x,s) + (\mu_0/\varepsilon_0)J(x,s)F(s) \approx 0$
  - Potential for solving E(x,t) via inversion

Numerical Approaches
- a.FDTD and Monte Carlo:
  - Proposed for handling non-local integral terms and fractal spacetime
  - Useful for complex J(x,t) or F(s)

Discussion
Physical Interpretation
- a.Fractal Spacetime Dynamics:
  - Roxer Equation potentially describes field dynamics in fractal media
  - Links to quantum gravity and spacetime foam models
- b.Quantum Electrodynamics Context:

- E(x,t) as an electric field operator interacting with J(x,t)
- Implications for particle creation/annihilation

c.Implications and Applications
- Cosmology & Quantum Gravity:
  - Early universe field dynamics, structure formation in fractal cosmologies
- d.Condensed Matter Physics:
  - Potential for modeling complex media or fractal structures

e.Challenges & Future Directions
- Scale Invariance:
  - Leverage $E(x,t) \sim t^{\alpha} f(x/t^{\beta})$ for fractal media
  - Renormalization group methods applicable
- f.Symmetries & Conservation Laws:
  - Identify Lorentz, scale symmetries
  - Derive conserved quantities for Roxer Equation

Conclusions-

My invented Roxer Equation, $\nabla \times (\partial^2/\partial t^2 - c^2\nabla^2)E(x,t) + (\mu_0 J(x,t)/\varepsilon_0) \times (\int[\infty,0] e^{(-st)}F(s)ds)=0$, offers a novel framework for exploring the interplay of fractal geometry, quantum electrodynamics and cosmology. My Key findings include:

- Analytical solutions (Green's functions, Laplace transforms) reveal wave like behaviour in fractal media
- The equation potentially models quantum field dynamics in complex spacetimes
- Implications span quantum gravity, cosmology and condensed matter physics

Future directions include-
- Investigating scale invariance and renormalization group methods
- Exploring symmetries and conserved quantities
- Applying numerical methods (FDTD, Monte Carlo) for complex scenarios

My invented Roxer Equation invites further exploration of fractal spacetime textures, quantum classical interfaces and cosmological field dynamics.

References.

1. C.Jungemann a, F. Meng b, M.D. Thomson b ,H.G. Roskos b Massively parallel FDTD full-band Monte Carlo simulations of electromagnetic THz pulses in p-

doped silicon at cryogenic temperatures https://doi.org/10.1016/j.sse.2022.108439

2. Barton, Chris & Lovejoy, Shaun & Schertzer, Daniel & Turcotte, Donald. (2012). Benoit B. Mandelbrot (1924-2010). EOS Transactions. 93. 44-44. 10.1029/2012EO040007.

3. Alvarez, Edgardo & Gaioli, Fabian. (1998). Feynman's Proper Time Approach to QED. Foundations of Physics. 28. 10.1023/A:1018882101146.

4. Arfken, G.B. & Weber, H.J. & Harris, Frank. (2013). Mathematical Methods for Physicists. 10.1016/C2009-0-30629-7.

5. Calcagni, Gianluca. (2010). Fractal Universe and Quantum Gravity. Physical review letters. 104. 251301. 10.1103/PHYSREVLETT.104.251301.

6. Nasmith, Benjamin. (2013). Classical Electrodynamics and Absolute Simultaneity.

7. De Visschere, Patrick. (2009). On the average of electrostatic and magnetostatic fields, the singularities of dipole fields and depolarizing fields.

Paper Got- 02/12/2025

Paper Accepted- 06/01/2026 paper accepted means publication date by publisher of Zonehut Online Research Article Publication

Zonehut Online Research Article Publication Journal is a peer-reviewed Journal checked by the Reviewers(Lecturer/Assistant Professor/Sientist) and under processing **"ISSN Application No.: 73710 -Awaiting Rectification"**

Website- https://zonehutresearch.blogspot.com